

Akron Brass

When moments count, rely on Akron® Brass forcible entry tools to pry, puncture, strike and force your way through or around an obstruction. These tools are constructed of alloy steel providing superior durability and strength.



Tri-Bar™

TRI-30 and TRI-36

The Tri-Bar forcible entry tool is manufactured as a single piece drop forged bar made of heat treated alloy steel. This tool will not chip or break during a critical operation. Use the adze, pick or fork to quickly break many types of locked doors, punch through walls or shut off gas valves. The Tri-Bar offers three hammer surfaces to force your way through or around the obstruction. Combine Akron's flathead axe with the Tri-Bar for a complete set of irons.

- Multiple uses: Pry, twist, puncture, strike, gain purchase point, gas meter shutoff, vehicle extrication, vertical ventilation
- Drop forged from alloy steel
- Heat treated for added strength
- Powder coated finish
 - Black (Standard)
 - High visibility Orange
 - Silver
- Length: 24", 30", 36" and 42" (610 mm, 762 mm, 914 mm, and 1067 mm)
- Weight: 24" = 9 .lbs, 30" = 10 .lbs, 36" = 11 lbs and 42" = 13 .lbs
(610 mm = 4.1 kg, 762 mm = 4.5 kg, 914 mm = 5 kg, and 1067 mm = 5.9 kg)
- Made in U.S.A.
- Optional adjustable shoulder strap
- Optional marrying strap



Available in Orange



TRI-MS

TRI-CS

Gas Shutoff

Single Piece Forged
(Not Welded
or Pinned)

Pick / Spike

Hammering Surface
to Drive Fork

Hammering Surface
to Drive Adze

Adze

Solid One Piece
Construction

Built-in
Shoulder Strap

Hammering
Surface to Drive
Spike

TRI-30

Built-in
"Roof" Ring

Fork / Claw

**NEW SIZES
AVAILABLE
24" & 42"**


Roof Hook

Like all Akron Brass Tools, the Roof Hook is designed to perform reliably through the toughest use and abuse seen by today's firefighters. It is designed with the highest grade materials for a long lasting, durable, and maintenance-free tool. This all around tool can be used for forced entry, prying open roof scuttles, sounding floors and roofs, venting windows, pulling ceiling, opening walls, and much more.

- Multi-purpose head and chisel are standard ARH tool
- Hollow steel shaft for extreme strength and lightweight application
- Industrial quality abrasive grips shipped loose for personalized placement
- Powder-coated finish for unparalleled corrosion resistance

Options:

- Colors- Black, yellow, red, green, white & silver
- Adjustable shoulder strap
- Hook options



Customize Your Roof Hook

Select one option from each column to build your Roof Hook part number.

	Length	Sholder Strap	Available Options	Custom Colors
ARH	17" (432 mm)	___ = None	___ = Standard Chisel	___ = Black
	24" (610 mm)	S = include shoulder Strap	FC = Fulcrum Chisel	YEL = Yellow
	36" (914 m)		RK = Ram Knob	RED = Red
	48" (1.2 m)		BH = Boston Hook	GRN = Green
	60" (1.5 m)			WHT = White
	72" (1.83 m)			SIL = Silver
	96" (2.44 m)			

Example: **ARH** - **36** - **___** - **FC** - **___**

ARH-36-FC = 36" Roof Hook with Fulcrum Chisel Black
Length based on overall length of tool including head and foot.

Gorilla Hook



AGH

This heavy-duty roof hook can be used for forced entry, prying, sounding, venting, probing, pulling ceiling, opening walls and more.

- Solid steel shaft for extreme durability
- Multi-purpose head and fulcrum chisel foot for maximum leverage and prying
- Industrial quality abrasive grips
- Powder-coated finish for unparalleled corrosion resistance
 - High Visibility Green Only
- Available in 3 sizes: 36", 48", & 72" (914 mm, 1219 mm, & 1829 mm) with folcrum chisel



Trooper Bar™ Style 50

The Trooper Bar is a truly multiple purpose utility bar. The unique gooseneck shaped design creates a high degree of leverage forcing your way through the obstruction. This maximizes prying force for quick entry.

- Solid one piece construction
- Zinc-plated
- Gooseneck design
- Length: 26" (660 mm)
- Weight: 8 1/2 lbs. (3.9 kg)



Pinch Point Bars


Manufactured of high carbon steel with a single one piece construction, Akron's heavy duty Pinch Point Bars provide superior strength for prying, puncturing, digging, lifting and moving heavy objects.

- PPB-36** **36" (.91 m) Pinch point bar, 6 lbs.**
 - Lengths may vary, bars are sold by weight
- PPB-51** **51" (1.3 m) Pinch point bar, 12 lbs.**
 - Lengths may vary, bars are sold by weight
- PPB-60** **60" (1.5 m) Pinch point bar, 18 lbs.**
 - Lengths may vary, bars are sold by weight




Axes & Sledges

- PHY-6** 6 lbs. (2.7 kg) Pick head axe w/36" (914 mm) yellow fiberglass handle
- FHY-6** 6 lbs. (2.7 kg) Flat head axe w/36" (914 mm) yellow fiberglass handle
- WP-6** 6 lbs. (2.7 kg) Pick head axe w/36" (914 mm) hickory handle
- WF-6** 6 lbs. (2.7 kg) Flat head axe w/36" (914 mm) hickory handle
- PHY-8** 8 lbs. (3.6 kg) Pick head axe w/36" (914 mm) straight yellow fiberglass handle w/rubber grip
- FHY-8** 8 lbs. (3.6 kg) Flat head axe w/36" (914 mm) straight yellow fiberglass handle w/rubber grip
- FSY-8** 8 lbs. (3.6 kg) Sledge hammer w/36" (914 mm) yellow fiberglass handle
- FSY-10** 10 lbs. (4.5 kg) Sledge hammer w/36" (914 mm) yellow fiberglass handle
- FSY-12** 12 lbs. (5.4 kg) Sledge hammer w/36" (914 mm) yellow fiberglass handle



Replacement handles available for all hand tools



Pike Poles

Akron® Brass Pike Poles are designed to perform reliably through the toughest use and abuse seen in the today's firefighting. The Pike Poles are constructed with the highest-grade materials and workmanship providing firefighters everywhere with a long lasting, durable, maintenance-free tool they can count on. Akron Brass Pike Poles get the job done!

Akron offers the widest range of pike poles in the fire service today with 5 unique poles, 6 hooks and 4 handle options.

- Meshed fiberglass for added strength and durability
- Lengths of 3' to 16'
- Hooks assembled with heavy duty spring steel roll pins for durability and ease of maintenance. *Excludes I-B
- Available with a wide variety of hooks and handles
- High visibility fiberglass for low visibility environments



5 Pole Options



UT

Ultra-Tough (UT) Honeycombed core for superior strength and weight. 5 times as strong the Ultra-Lite and 2 times as strong as competitive offerings.
Diameter: 1 1/4" (31.75 mm)



UL

Ultra-Lite (UL) Lightweight, durable and easy to handle
Diameter: 1 1/4" (31.75 mm)



PP

Gripper (PP) Solid fiberglass in a unique oval shape
Dimensions: 3/4" x 1 1/8" (19 mm x 28.581 mm)



IB

I-Beam (IB) I-Beam shaped solid fiberglass for maximum strength and easy gripping
Dimensions: 1" x 1 3/8" (25 mm x 34.93 mm)



WR

Wood (WR) Traditional white ash wood poles available
Diameter: 1 3/8" (34.93 mm)

To maximize shipping cost or to add length to poles, we offer the Double Ultra-Lite (UL-DG) or Double Gripper (DG) with a metal sleeve, epoxy and steel spring roll pins to permanently assemble after shipment. This results in a 9' to 20' (2.7 m to 6.1 m) heavy duty pike pole that can be shipped by UPS.



7 Hook Options



USA Hook
Standard



Dry Wall Hook
(DWH) Optional



Rubbish Hook
(RH) Optional



Multi-Purpose
New York Style
(MP) Optional



Shredder™
(SH) Optional



3/4" Rubbish Hook
L.A. Trash & Vent
(LARH) Optional



SaberTooth
(ST) Optional

4 Handle Options



Butt End
Standard



Ram Knob
(RK) Optional



D-Ring Handle
(D) Optional




Heavy-Duty
D-Handle
(HD) Optional

Customize Your Pike Pole

Select one option from each column to build your Pike Pole part number.

Pole		Length	Handle	Hook
UT	= Ultra-Tough	3' (.9 m)	__ = Butt End	__ = Standard Hook
UL	= Ultra-Lite	4' (1.22 m)	D = D-Handle	DWH = Drywall Hook
UL-DG	= Double Ultra-Lite	6' (1.83 m)	RK = Ram Knob	RH = Rubbish Hook
IB	= I-Beam	8' (2.4 m)	D90 = D-Handle 90° from Head	MP = Multipurpose w/Ram Knob
PP	= Gripper	10' (3.0 m)	HD = Heavy-Duty D-Handle*	D-MP = Multipurpose w/D-Handle
DG	= Double Gripper	12' (3.66 m)		LARH = LA Trash & Vent
WR	= Wood	14' (4.3 m)		SH = Shredder
		16' (4.9 m)		ST = Saber Tooth*

* Only available with UT or UL



Adapt-a-Pole™

The Adapt-a-Pole delivers a multi-purpose tool for use in every situation. This tool allows for flexibility & versatility from the same handle. To change tools or hooks, simply disengage the Adapt-a-Pole locking mechanism, select and attach the desired tool or hook for the job. Then it's back to work. There is no longer a need to carry several different tools to accomplish the many tasks around the fire ground. The Adapt-a-Pole provides the tool and hooks for all those tasks in one simple yet effective tool.

AP-VK ROOF KIT

Includes:

- 1- USA Hook 3' (.9 m) (AP-3-USA)
- 1- Rubbish / Ventilation Hook 3' (.9 m) (AP-3-RH)
- 1- D-Handle 3' (.9 m) (AP-3-DH)
- 1- Extension 3' (.9 m) (AP-3-EXT)

AP-SK SALVAGE KIT

Includes:

- 1- Dry Wall Hook 3' (.9 m) (AP-3-DWH)
- 1- Squeegee (AP-SQ)
- 1- Square Nose Shovel (AP-SH)
- 1- Push Broom (AP-BH)
- 2- Handles 4' (1.22 m) (AP-4-BG)
- 1- Extension 4' (1.22 m) (AP-4-EXT)

Additional Adapt-a-Pole Options:

- AP-3-USA 3' (.9 m) USA Hook
- AP-3-RH 3' (.9 m) Rubbish Hook
- AP-3-DWH 3' (.9 m) Dry Wall Hook
- AP-3-BG 3' (.9 m) Bumper Grip
- AP-3-DH 3' (.9 m) D-Handle
- AP-3-EXT 3' (.9 m) Extension
- AP-4-EXT 4' (1.22 m) Extension
- AP-4-BG 4' (1.22 m) Bumper Grip
- AP-BH Broom Head
- AP-SH Square Nose Shovel Head
- AP-SQ Squeegee
- AP-AS Scoop Shovel Head



Miscellaneous Tools

- AS-27D** Scoop Shovel w/ 27" (8.9 m) Ultra-Lite Fiberglass Rod & D-Handle
- RS-48F** Round Point Shovel w/ 48" (1.22 m) Ultra-Lite Handle
- SS-48F** Square Point Shovel w/ 48" (1.22 m) Ultra-Lite Handle
- UL-SQ-60F** 18" (460 mm) Squeegee Head w/ 60" (1.5 m) Ultra-Lite Handle (One Piece)
- UL-SQ24-60F** 24" (610 mm) Squeegee Head w/ 60" (1.5 m) Ultra-Lite Handle (One Piece)
- UL-DG-SQ** 18" (460 mm) Squeegee Head w/ 60" (1.5 m) Ultra-Lite Handle (Three Piece)
- UL-DG-SQ24** 24" (610 mm) Squeegee Head w/ 60" (1.5 m) Ultra-Lite Handle (Three Piece)
- DB-48** 48" (1.22 m) Demolition Bar
- RF-36** 36" (.9 m) Rapid Force™



Akron® Brass Wildland Fire Hand Tools feature durable lightweight construction, superior cutting ability, exceptional tool balance and powerful grubbing performance. When working on a fire line, you can rely on the durability, workmanship and performance you have come to expect from Akron Brass.



McLeod Tool

The McLeod Tool is used to clear brush and debris as well as construct fire control lines. It is designed to break down easily for packing into the most remote locations.

FSS-MT

- Exceeds the Forest Service Specifications
- Combination of a rake and hoe
- 48" (1.22 m) American Ash handle for strength and durability
- Enhanced ferrule joint for strength and durability
- Black enamel finish for excellent resistance to rust



FSS-MT

WR-MT-48

- 48" (1.22 m) White Ash handle
- Blade is 3/16" (4.76 mm) thick for added strength
- Powder coated



WR-MT-48

UL-MT-48

- 48" (1.22 m) Ultra-Lite fiberglass handle
- Blade is 3/16" (4.76 mm) thick for added strength
- Powder coated

Pulaski Axe

The Pulaski Axe is designed to cut through heavy brush and even small trees.

WPL-4

- 36" (.9 m) American Hickory handle
- 3.75 lb. (1.7 kg) axe with mattock blade
- Painted red



WPL-4

Combination Tool

FSS-CT

The pick/shovel combination head can be used as a shovel, pick or hoe. The FSS-CT tool is designed to construct fire lines, control burn operations, and construct or repair trails. Manufactured in accordance with the United States Department of Agriculture Forest Service Specifications.

- Exceeds the Forest Service Specifications
- Combination pick and shovel tool
- 42" (1.1 m) American Ash handle to provide straight grain and durability
- Black enamel and phosphate finish for excellent resistance to rust



FSS-CT

Forestry Service Specified Round Point Shovel

FSS-RP

- Made in accordance to the US Forest Service Specifications
- 38" (.97 m) American Ash handle
- Forged from a single piece of high carbon steel
- Heat treated and tempered for strength and durability



FSS-RP

Fire Rake

The Fire Rake is designed with four specially sharpened teeth allowing for ease of chopping, raking, cutting, and moving debris on any fire line. Manufactured in accordance with the United States Department of Agriculture Forest Service Specifications.

FSS-FR

- Exceeds the Forest Service Specifications
- 52" (1.32 m) handle American Ash with long straight grain
- Triangular shaped teeth specially sharpened and hardened
- Red painted body and stainless steel teeth for excellent resistance to rust
- Designed for chopping, raking, and moving debris
- Easily broken down for storage and mobility

FR-12


- 60" (1.5 m) Ash handle
- 14" (356 mm) wide steel rake head
- Powder coated
- 4 blades bolted to head

FR-60F

- 60" (1.5 m) solid fiberglass handle
- 14" (356 mm) wide steel rake head
- Powder coated
- 4 blades bolted to head

UL-FR-60F

- 60" (1.5 m) Ultra-Lite handle
- 14" (356 mm) wide steel rake head
- Powder coated
- 4 blades bolted to head



Fire Beater

The Fire Beater is designed to knock down, smother, and extinguish a small grasslands or wildlands fire.

FB-15

- 60" (1.5 m) Ash handle with clear lacquer finish
- Heavy duty PVC belted rubber flap (12" x 14") or (305 mm x 356 mm)
- Black powder coated steel head

FB-60F

- 60" (1.5 m) solid fiberglass handle
- Heavy-duty PVC belted rubber flap (12" x 14") or (305 mm x 356 mm)
- Black powder coated steel head

UL-FB-60F

- 60" (1.5 m) Ultra-Lite handle
- Heavy duty PVC belted rubber flap (12" x 14") or (305 mm x 356 mm)
- Black powder coated steel head



Fire Broom


The Fire Broom is designed for direct attack on small brush or grass fires. The hardwood handle, stiff textured Palmyra fiber, and metal cap are locked together to prevent loose handles and fiber fallout.

FB-42

- 42" (1.5 m) hardwood handle
- Palmyra fiber broom

FB-42C

- Case of 12 FB-42s





AKRON BRASS Rapid Force

RF36

The Rapid Force multiple purpose forcible entry tool can get you out of a dangerous situation fast. This innovative tool combines the utility of a pry-bar, sledge hammer, and multi-purpose hook into one easy-to-use tool. Constructed of forged alloy steel and heat treated for extra strength, this tool can be used in many applications; even breaking through concrete block.

- Solid one piece construction
- Sledge hammer features a machined striking face
- Balanced for easy swinging
- 3 tools in one
- Length: 36"
- Weight: 12 lbs



AKRON BRASS HRT PRO

HRT PRO

The HRT PRO bridges that gap between small pocket sized tools and large heavy ones. This unique tool can be used as an axe, hammer, spanner, pry bar, gas shut off, door stop, glass breaker, etc... There is also a heavy duty leather sheath option that includes a carrying strap. In the Akron Brass tradition this innovative tool is Made In USA with highest-grade materials and workmanship.



GEMTOR Crash Axe

GEM-D-42

15" long drop forged steel Crash Axe with rubber handle insulated for 20,000 volts, Weight: 2.5 lbs.



QUIKKUT Windshield Saw

WFR-QUIKKUT

- Blade locks in the open or closed position
- Cuts on the pulling stroke which aids in protection of the patient compartment
- Easy to use manual operation
- Spring loaded centre punch for breaking tempered glass enclosed in padded handle
- Shapened tip for creating hole in windshield to start the saw operation, wedge/ply end



DARLEY Personal Fire Axe

WSD-BB162

The personal safety tool for every firefighter. The fire axe is easy-to-carry and easily accessible. A fast-working fire tool in tight spots, where the precision-balanced 1.5 lb. pick-head axe, and 14" curved hickory-handle permits easy swinging. Pick-head axe features two heads; standard for cutting and a heavy-duty pick for forcible entry. Ship wt. 2 lb



DARLEY "V" Blade Rescue Knife

WSD-L470

Cuts through seat belts. Precision made of high strength aluminum alloy. Tip fitted with Dzus Key for opening aircraft panels. Will cut 10,000 lb. strength webbing with one stroke.



DARLEY Snagger Tool

SNAGGER TOOL

1. The tungsten carbide tip is perfect for breaking tempered glass, quickly and without effort.
2. This small groove is designed to grip the tabs on any size of fire hose coupling. This groove makes the Snagger Tool the perfect hose wrench, with its single size being perfect for all couplings. It will also fit the valve stem on an O2 cylinder in a pinch.
3. Then Snagger Tool is "Hard-Coat" anodized giving it a more durable, non-conductive and scratch resistant finish. The grooved grip gives a more comfortable and universal grip for hands of all sizes. The peaks of the grooves also dig into the charged firehose for better grip.
4. This side of the tool is meant for gripping 38mm (1 3/4") hoseline as well as various sizes of forestry line. When charged line is "snagged" by this tool the hand is automatically turned 90 degrees from its normal position on a fire hose giving the firefighter improved posture, more strength, less fatigue and a much safer position in relation to the fire and the hoseline.
5. This side is meant for 65mm (2 1/2") hose line performing the same functions as listed in number 4.
6. The groove here is to allow the Snagger to grip the tabs on Stortz couplings and larger diameter couplings.
7. The hardened wedge tip is for penetrating drywall or wall board. It will also go through a standard windshield and can be used to cut the windshield away rapidly. This cutting of a windshield will leave pitting in the tool, though, so only use it in an emergency.



MERCEDES Single or Double-Edged Bush Hook

MER-70HTBHS

Designed for heavy duty clearing and scrubbing of tough vines, weeds, undergrowth and small saplings.



ZICO Hi-Tensile Steel Cutter (Red Head).

Specially heat treated to cut harder material like chain, links, high tensile bolts, pre-stressed concrete wire, tempered spring steel wire. Available in 24", 30", and 36".

ZIC-HIT

PARATECH Hooligan Tools

HOOLOGAN TOOLS

Were designed to pry, pound, puncture, twist, and cut open or remove all types of barriers between emergency personnel and saving a life. Both the head and claw are forged from high alloy steel, heat treated for maximum strength, then permanently press fitted to a 1" stress proof or high strength lightweight alloy bar. The bar has machine grooved non-slip grips. The Hooligan Tool features a gently curved claw that maximizes your prying leverage. The parallel claw opening fits over locks, hasps, and many door bars. It also doubles as a nail puller and gas shut off tool. The Highway Hooligan Tool features a can opener type metal cutting claw that cuts heavy gauge metal and composites. This tool is a must for vehicle rescue. Available in 24", 30", 36" and 42" lengths. Also available in Tactical Black, Lightweight Handle, and Spark Resistant types.

FEATURES

PIKE
Long, sharp, tapered and gently curved to fit a lock or latch

DUCKBILL
Long, smooth incline to force windows and interior doors

GRIP
Machine grooved non-slip grips

BRIGHT FINISH
The standard electroless nickel finish is available for good looks and easy maintenance

Machine sharpened metal cutter uses can opener principle to cut heavy gauge metal and composites

Recessed nail puller

Parallel opening for gas valve shutoffs, locks and hasps

Claw radius offers optimal prying leverage

Combines the capability of prying and metal cutting

Machine sharpened claws

METAL CUTTING CLAW

STANDARD CLAW



PARATECH Kelly Tool (Westcoast Bar)

KELLY TOOL

Is often used in a wedge and sledge combination with a flat head axe. Now specified by fire departments that want a rugged forcible entry tool without the protruding point found on the "Halligan" type tools. Both the adz end and the claw are drop forged from high alloy steel. The adz and claw have been machine sharpened for easy access to a prying point. Both ends are press fitted for easy access to a 1" stress proof steel bar with machine grooved hand grips. The adz end extends into a protruding hammer head to be used as a striking tool or receive hammer blows. The claw has recessed nail puller and is parallel slotted to slip over locks, hasps and many gas shutoffs. Available in 30", 36" and 42" lengths.



PARATECH Hook and Claw Tool

HOOK & CLAW

Is a heavy duty prying designed for overhauling. The Claw Tool is very practical for prying floorboards, baseboards, window casements and door frames. Both the Hook and Claw are drop forged from high alloy heat treated steel and pressed and pinned to a 1" stress proof bar. Machine grooved hand grips and chrome plating improve the function and appearance. The Hook has a 6.5" opening and is machine sharpened. The Claw is parallel slotted with a recessed nail puller to remove locks, hasps, and shut gas valves. The ends are machine sharpened to engage a prying point. Available in 30", 36" and 42" lengths.



PARATECH PRT (Percussive Rescue Tool)

PRT

Is a powerful hand held rescue tool that can be put to work with a minimal amount of training. Primarily designed for fast, forcible entry and penetration, one person can quickly pry open doors in seconds and easily break through brick and concrete block walls within a few minutes. The sliding ram bar action of the PRT directs all of its force directly at the point of impact – without deflection, making it safer and more effective than a sledge and wedge. The PRT comes with five different bits: 8.5" long Lock Breaker Claw for prying or forcing open door, windows, twisting hasps and breaking locks; 8.5" long Cutting claw for punching and cutting sheet metal (automobile roofs and hoods, aircraft, structures, etc.) works like a manual can opener; 14.5" long Wide Chisel Tip used for lifting, prying and punching metal, provides extra length for reaching into narrow crevices and pry bar leverage up to 53" when fully extended; 14.5" long Bull Point used for breaking concrete and masonry materials, 5" thick unreinforced concrete is easily broken after 6-8 strikes; 14.5" long 1" Chisel Tip used also for breaking concrete, prying bolts, breaching brick and block walls.



PARATECH Hook and Chain

HOOK & CHAIN

Don't use your winch without this Hook and Chain. Always a must for pulling, stabilizing and working with hydraulic rescue tools. A large forged alloy steel hook attached to a length of 3/8" high test alloy steel chain and grab hook. Chain has a working load capacity of 5400 lbs with a 4:1 safety factor. Hook is 6.5" wide and chrome plated. Available in 6', 12' and 18' lengths.



PARATECH Pry Axe®

PRY AXE

Is a lightweight, multi-purpose, slam and ram tool designed to pry, enlarge openings, cut sheet metal and twist off locks and latches. This efficient tool lets every firefighter force entry, rescue and ventilate without waiting for help. The Pry Axe is small enough to carry and rugged enough for most jobs. The Pry Axe head and claw assemblies are separate sections forged from high alloy steel and heat treated for maximum strength. A solid steel shaft is press fitted and pinned to the claw. A tubular steel handle is press fitted and welded to the head. A rubber sleeve over the handle provides a non-slip grip. The tool weights 6.6 lbs and is 18" closed and 28" extended. Available with standard claw or metal cutting claw.



PARATECH Biel Tool

BIEL TOOL

The **new Biel Tool** is now one piece made out of heat treated, electro-polished, stainless steel with an extremely durable, ergonomically molded rubber handle. The Biel Tool incorporated many of the features found in the world famous Paratech 'Pry-Axe', but is much smaller and light enough to wear on a belt or carry in the pocket of a bunker coat. This is the perfect personal size multi-purpose forcible entry and rescue tool, designed for forcing doors and windows, prying, overhauling, nail removal, gas shutoff, metal cutting and chopping.
Length: 15 in (38.1 cm) Weight: 3.1 lb (1.4 kg)



PARATECH Set of Irons

SET OF IRONS

36.5 in (92.7 cm) 18.9 lbs. (8.6 kg)

Paratech's TopCut Fire Axe and SFP Hooligan are your essential tools to chop, pry, pound, puncture, twist or cut in the most demanding situations.

The set comes with:

- 1 TopCut Fire Axe 22-000610
- 1 SPF Hooligan 22-000680
- 1 Irons Strap 22-000618