

KIDDE Fire Extinguishers

For the best chance of putting out a fire while it is still small, a fire extinguisher should be located within reach. You should have one fire extinguisher for every 600 sq. ft. of living space.

Kidde fire extinguishers are manufactured and tested to meet rigid ULC standards. A fire extinguishers rating shows the measure of the firefighting capability. The higher the rating, the greater its firefighting capacity.

Fire Extinguishers are available with ABC or BC Dry Chemical, Class “K” Wet Chemical, 2-1/2 Gallon Water Type or Carbon Dioxide. Extinguishers come in sizes of 2-1/2, 4, 5-1/2, 10, and 20 lbs. All come with wall brackets. The 2-1/2 and 5-1/2 lbs. extinguishers are available with vehicle brackets. Bracket are also available for other sizes, sold separately.



ABC Group



CO₂ Group



KIDDE Digital AC Plug-in Carbon Monoxide (CO) Alarm

KID-900-0076

The premium choice for use as a primary alarm with digital readout of CO levels.

- Digital Readout – Continuous display of CO levels.
- Battery Backup – Continuous protection in case of power failure
- Peak level memory – Recalls the highest recorded level of CO.
- Test / Reset button – Tests circuitry and resets alarm
- Electrochemical sensor – “The world's most accurate sensor”



KIDDE AC Plug-in Carbon Monoxide Alarm

KID-900-0215

- AC Plug-in Operated – Easy to install – just plug into an AC wall outlet.
- Battery Backup – Continuous protection in case of power failure (900-0235 and 900-0215 only).
- Test / Reset Button – Test circuitry and resets alarm.
- Electrochemical sensor – “The world's most accurate sensor”



KIDDE Smoke Alarm with Hush/Alarm Silencer

KID-0916KCA

A good choice for controlling nuisance alarms.

- Hush Button® – Quickly silences nuisance alarms
- Test button – Tests circuitry and verifies alarm operation.
- Ionization Technology – Sensitive to fast flaming and other fires.
- Available as a 9 V battery operated or 120 V direct wire unit (also available with battery backup).



KIDDE Talking Combination Smoke & CO Alarms

KID-900-0102

The convenient choice for combined fire and carbon monoxide protection in a single alarm that talks.

- Talking Smoke & CO Alarm – Voice messages identify different dangers.
- Hush Button – Quickly silences nuisance alarms.
- Test/Rest Button – Test circuitry and resets alarm.
- Ionization Technology – Sensitive to fast flaming and other fires.
- Also available with Photoelectric Technology – Sensitive to slow smouldering and other fires.
- Available as a 9V battery operated or 120 V AC direct wire unit with battery backup.



KIDDE 10-Year Tamperproof Smoke Alarm with Hush

KID-0910CA

The best choice for tamper-resistant security and low-maintenance protection for 10 years.

- 10 Year Sealed Lithium Battery – No battery replacement required over the 10 year life of the alarm.
- Hush® Button – Quickly silences nuisance alarms.
- Tamper Resistant – Locks to inhibit tampering with alarm.
- Test Button – Tests circuitry and verifies alarm operation.
- Ionization technology – Sensitive to fast flaming and other fires.



KIDDE Escape Ladder

ESCAPE LADDER

Having an escape ladder available during an emergency situation can mean the difference between life and death.

- Worry-free Escape – Strong and Durable Construction
- Easy-to-use – Attaches Quickly to Most Common Windows
- Tangle-free design – Fast and Easy to Deploy
- Ready for use – No Tools or Assembly Required
- Ladder Tested to 900 pounds
- Anti-Slip Rungs

Steel Fire

FIRE EXTINGUISHER VINYL COVERS

FIRE EXTINGUISHER COVERS screened in ENGLISH with black imprint stencilled "Fire Extinguisher Keep Clear" & black trim. Made of reinforced vinyl with Velcro closures. Fluorescent Red.

PART #	DESCRIPTION
EFEC10	10 lb. Fire Extinguisher Cover w/ Window 12" W x 22" H
EFEC10NW	10 lb. Fire Extinguisher Cover NO Window 12" W x 22" H
EFEC20	20 lb. Fire Extinguisher Cover w/ Window 16" W x 25" H
EFEC20NW	20 lb. Fire Extinguisher Cover NO Window 16" W x 25" H
EFEC30	30 lb. Fire Extinguisher Cover w/ Window 16" W x 28" H
EFEC30NW	20 lb. Fire Extinguisher Cover NO Window 16" W x 28" H

NOTE: 10 LB COVERS NOW 2" Longer (22").

FIRE EXTINGUISHER COVERS screened in FRENCH with black imprint stencilled "Extincteur d'Incendie" & black trim. Made of reinforced vinyl with Velcro closures. Fluorescent Red.

PART #	DESCRIPTION
FFEC10	10 lb. Fire Extinguisher Cover w/ Window 12" W x 22" H
FFEC10NW	10 lb. Fire Extinguisher Cover NO Window 12" W x 22" H
FFEC20	20 lb. Fire Extinguisher Cover w/ Window 16" W x 25" H
FFEC20NW	20 lb. Fire Extinguisher Cover NO Window 16" W x 25" H
FFEC30	30 lb. Fire Extinguisher Cover w/ Window 16" W x 28" H
FFEC30NW	20 lb. Fire Extinguisher Cover NO Window 16" W x 28" H

NOTE: 10 LB COVERS NOW 2" Longer (22").

FIRE EXTINGUISHER COVERS screened BILINGUAL with black imprint & black trim. Made of reinforced vinyl with Velcro closures. Fluorescent Red.

PART #	DESCRIPTION
BFEC10	10 lb. Fire Extinguisher Cover w/ Window 12" W x 22" H
BFEC10NW	10 lb. Fire Extinguisher Cover NO Window 12" W x 22" H
BFEC20	20 lb. Fire Extinguisher Cover w/ Window 16" W x 25" H
BFEC20NW	20 lb. Fire Extinguisher Cover NO Window 16" W x 25" H
BFEC30	30 lb. Fire Extinguisher Cover w/ Window 16" W x 28" H
BFEC30NW	20 lb. Fire Extinguisher Cover NO Window 16" W x 28" H

NOTE: 10 LB COVERS NOW 2" Longer (22").

FLUORESCENT ORANGE COVERS ARE AVAILABLE FOR INDOOR USE ONLY BY ADDING FLO TO PART # ABOVE

ENGLISH
NO WINDOW STYLE



EFEC10NW
EFEC20NW
EFEC30NW

ENGLISH W/
WINDOW STYLE



EFEC10
EFEC20
EFEC30

FRENCH
NO WINDOW STYLE



FFEC10NW
FFEC20NW
FFE-30NW

FRENCH W/
WINDOW STYLE



FFEC10
FFEC20
FFEC30

BILINGUAL
NO WINDOW STYLE



BFEC10NW
BFEC20NW
BFEC30NW

BILINGUAL W/
WINDOW STYLE



BFEC10
BFEC20
BFEC30

CUSTOM MADE COVERS ON REQUEST

MARK I JR



MJM

MJWC



BLM12



FBLM12

MARK II JR



M2JWC


M2JRC

MARK II



M2M

M2WC



FIRE EXTINGUISHER CABINETS

ABS FIRE EXTINGUISHER CABINETS are injection molded of tough and durable impact resistant ABS plastic. They require less storage space than ordinary cabinets because they nest together. Come complete with brass lock, cover and labels. Available in three sizes. Choose Mark I Jr. for extinguishers with maximum height of 16 3/4"; MARK II JR., 20"; AND MARK II, 24". See sizing chart below for dimensions.

NOTE: The MJM, M1M and cabinets are the only ones recommended for outdoor use.

MARK I JR. CABINET – For 5 LB. DRY CHEMICAL
Maximum Extinguisher Height, 16 3/4"

PART #	LOCATION & DESCRIPTION
MJM	Indoor/Outdoor Red cabinet w/ red cover
MJRC	Indoor Red cabinet w/ clear cover
MJWC	Indoor White cabinet w/ clear cover
MJWR	Indoor White cabinet w/ red cover

VINYL LABELS (SELF ADHESIVE)

PART #	DESCRIPTION	WXH
BLM12	English Pull Here Label for Fire Extinguisher Cabinet Covers	4"x2 1/2"
FBLM12	French Pull Here Label for Fire Extinguisher Cabinet Covers	4"x2 1/2"

MARK II JR. CABINET – For Tall 5 LB. and 10 LB. DRY CHEMICAL
Maximum Extinguisher Height, 20"

PART #	LOCATION & DESCRIPTION
M2JM	Indoor/Outdoor Red cabinet w/ red cover
M2JRC	Indoor Red cabinet w/ clear cover
M2JWC	Indoor White cabinet w/ clear cover
M2JWR	Indoor White cabinet w/ red cover

MARK II CABINET – For 10 LB. DRY CHEMICAL
Maximum Extinguisher Height, 24"

PART #	LOCATION & DESCRIPTION
M2M	Indoor/Outdoor Red cabinet w/ red cover
M2RC	Indoor Red cabinet w/ clear cover
M2WC	Indoor White cabinet w/ clear cover
M2WR	Indoor White cabinet w/ red cover

NOTE: THE MARK II WILL NOT HOLD A 20 LB. EXTINGUISHER. FOR 20LB. EXTINGUISHER CABNETS SEE CATO PG. 20 OR C104 PG. 21

FIRE EXTINGUISHER CABINET SIZING CHART

CABINET	A HEIGHT	B WIDTH	C DEPTH	MAX. EXTING. HEIGHT
M1 SERIES	19 5/8"	8 3/4"	6 1/2"	17 3/4"
M2J SERIES	21 3/4"	9 5/8"	6 3/8"	20"
M2 SERIES	25 3/4"	9 5/8"	6 3/8"	24"

NOTE: THE "A" HEIGHT DIMENSION IS FROM THE TOP OF THE CABINET TO BELOW WHERE THE PADLOCK IS ATTACHED, AS SHOWN IN THE DIAGRAM TO THE LEFT.

MARK REPLACEMENT COVERS PAGE 17

PLEASE VISIT WWW.STEELFIRE.COM FOR DETAILED PRODUCT SPECIFICATION SHEETS IN PDF FORMAT.

REPLACEMENT COVERS for MARK CABINETS come shrink wrapped on cardboard for protection. English and French "Pull Here" Labels available.

PART #	DESCRIPTION
MJC	Clear Mark 1 Jr. Replacement Cover 8 7/8" W x 19 1/4" H
MJCR	Red Mark 1 Jr. Replacement Cover 8 7/8" W x 19 1/4" H
M1C	Clear Mark 1 Replacement Cover 9" W x 20 5/8" H
M1CR	Red Mark 1 Replacement Cover 9" W x 20 5/8" H
M2JC	Clear Mark 2 Jr. Replacement Cover 10" W x 23" H
M2JCR	Red Mark 2 Jr. Replacement Cover 10" W x 23" H
M2C	Clear Mark 2 Replacement Cover 10" W x 27" H
M2CR	Red Mark 2 Replacement Cover 10" W x 27" H
FBLM12	French "Pull Here" Label
BLM12	English "Pull Here" Label



MARK COVERS

PORTABLE FIRE EXTINGUISHER STANDS

The Centurion™

Fully Assembled Portable Fire Extinguisher Stand

Fits ALL 10 lb and 20lb ABC Fire Extinguishers

- Easy Mobility allows use in all major indoor or outdoor public events plus:
 - job sites
 - warehouses
 - emporiums
 - convention centres
 - live shows
 - warehouse facilities
- Rolling Casters for easy transport and mobility
- Locking Cabinet to reduce theft & vandalism
- Designed for all weather conditions
- Meets OSHA Requirements
- Extinguisher (not included) is always secured in the Centurion
- Breakaway acrylic panel with hammer assembly - no glass to shatter
- Readily attainable in an emergency

PART #	DESCRIPTION
CENT20	Portable Fire Extinguisher Stand Height 56", Weight 96 lbs for 20 lb Extinguisher
CENT10	Portable Fire Extinguisher Stand Height 45 3/4", Weight 78 lbs for 10 lb Extinguisher

ECONOMY FIRE EXTINGUISHER STAND

Make moving from jobsite to jobsite is easy with this portable **FIRE EXTINGUISHER STAND**. The stand holds a 5, 10 or 20lb extinguisher and is ideal for wherever a fire extinguisher is required but cannot be permanently mounted. Its 16" x 16" base features a molded-in handle for ease of movement and a large 2 1/2" fill hole for the addition of sand to weight the base. The heavy-duty upright attaches easily to base without the use of tools. Constructed from red powder coated steel, predrilled for a fire extinguisher wall hook and holds up to 35 lbs of sand. For use on construction sites, exhibit halls, workshops, fairs and more.

Note: Sand and wall hook are not included

PART #	DESCRIPTION
FES1	Fire Extinguisher Stand, 48" High

10 LB

20 LB



Cylinder Lock



Faultless Casters



Hammer or Break Bar

Lockdown Brackets Not Shown



FES1



Available June 2011



955WC

9510WC



951061R

955065C



CBB05



220SB

CATO WARRIOR

FIRE EXTINGUISHER CABINETS feature injection molded, high-density, high impact polystyrene with a .110 wall thickness and ultraviolet inhibitors. The cabinet's one-piece pull-off cover is made from high-impact crystal polystyrene.

PART #	DESCRIPTION
955RC	5 LB. Red Warrior Cabinet 8" W x 21" H x 6 3/8" D
955WC	5 LB. Wht. Warrior Cabinet 8" W x 21" H x 6 3/8" D
9510RC	10 LB. Red Warrior Cabinet 9" W x 25" H x 7" D
9510WC	10 LB. Wht. Warrior Cabinet 9" W x 25" H x 7" D

WHEN ORDERING, STATE COLOUR OF COVER PANEL. RED OR CLEAR.

CATO WARRIOR

FIRE EXTINGUISHER CABINET ACCESSORIES

PART #	DESCRIPTION
955065R	955 Replacement Panel, Red
955045C	955 Replacement Panel, Clear
9510610R	9510 Replacement Panel, Red
9510410C	9510 Replacement Panel, Clear

CATO

FIRE EXTINGUISHER BACKBOARDS make it easier for the public to locate extinguishers quickly and provides a simple way for missing extinguishers to be reported and replaced right away by way of an "EXTINGUISHER MISSING" label. Made of UV resistant, injection-molded red polypropylene, it features pre-molded 1/4" mounting holes, rounded corners for maximum safety, and illustrated "FIRE LABEL" and accommodates 5 and 10 LB. extinguisher sizes.

PART #	DESCRIPTION
CBB05	Fire Extinguisher Backboard, 21 1/5 LB., 5 LB. 8 1/2" W x 22 1/2" H
CBB10	Fire Extinguisher Backboard, 10 LB. 10 1/2" W x 27 3/4" H

CATO PULL STATION COVERS

PROTECTIVE COVERS are injection molded of high density plastic and come with scored break glass and breaker bar. These covers are water resistant for outside installation, has UL HB94 Burn Rating, come from fully assembled with mounting screws and anchors provided, and can be installed in a very few minutes.

PART #	DESCRIPTION
220SB	Pull Station Cover w/Breaker Bar, Surface Mount 8 1/4" H x 7 1/2" W x 3 3/4" D
220S	Pull Station Cover w/ Pull-Down Cover Surface Mount 8 1/4" H x 7 1/2" W x 3 3/4" D
220RB	Pull Station Cover w/ Breaker Bar, Recessed Mount 8 1/4" H x 7 1/2" W x 2 1/4" D
220R	Pull Station Cover w/ Pull-Down Cover Recessed Mount 8 1/4" H x 7 1/2" W x 2 1/4" D
22020	Replacement Plastic Break Panel 6" H x 6 1/4" W

EDWARDS BREAK RODS SEE PAGE 68



FIRE EXTINGUISHER CABINETS AVAILABLE IN RED OR WHITE



10520 RRCH
20 LB. DRY
CHEMICAL
OR 2-1/2 GAL.
PRESSURE WATER

10510 RRCH
10 LB. DRY
CHEMICAL

1055 RRCH
5 LB. DRY
CHEMICAL

COMPLETE WITH CLEAR PANEL,
BREAK HAMMER & LOCK AS SHOWN

CATO CHIEF FIRE EXTINGUISHER CABINET

CATO CHIEF FIRE EXTINGUISHER CABINETS feature body and frame injection molded of red or white virgin high-impact crystal polystyrene of .110 wall thickness, chromium plated brass cylinder lock, and key with weather-proof protective lock cover and polypropylene plastic injected molded hammer with brass impact surface, flexible torsion, ribbed grip surface and clear nylon-jacketed type 304 stainless steel mechanical cable.

All Cabinets come complete with clear scored panel, break hammer, frame and lock as shown. Cabinet inside dimensions are shown below.

PART #	DESCRIPTION
1055RRCH	5 LB. Red Chief Cabinet 6" W x 16 3/4" H x 5 5/8" D
1055WWCH	5 LB. Wht. Chief Cabinet 6" W x 16 3/4" H x 5 5/8" D
10510RRCH	10 LB. Red Chief Cabinet 6 3/4" W x 20 1/2" H x 6" D
10510WWCH	10 LB. Wht. Chief Cabinet 6 3/4" W x 20 1/2" H x 6" D
10520RRCH	20 LB. Red Chief Cabinet 9" W x 26" H x 8" D
10520WWCH	20 LB. Wht. Chief Cabinet 9" W x 26" H x 8" D

5 LB.

10 LB.

20 LB.


20 LB.



10011R
RED HAMMER ASSEMBLY



10011W
WHITE HAMMER ASSEMBLY



10555

11005

12055

12075

PLASTIC FRONTS ARE SCORED FOR EASY BREAKAGE

CATO CHIEF Fire Extinguisher Cabinet ACCESSORIES.

PART #	DESCRIPTION
10011R	Red Hammer Assembly
10011W	White Hammer Assembly
10505	10505 White Frame w/Lock, 5 lb.
10555	1055 Red Frame w/Lock, 5 lb.
10575	1055 Clear Panel, 5 lb.
11005	10510 White Frame w/Lock, 10lb.
11055	10510 Red Frame w/Lock, 10 lb.
11075	10510 Clear Panel, 10 lb.
12005	10520 White Framew/Lock, 20 lb.
12055	10520 Red Frame w/Lock, 20 lb.
12075	10520 Clear Panel, 20 lb.

METAL EXTINGUISHER CABINETS

PART #	DESCRIPTION
C-100	Fits all 5 LB Dry Chemical Extinguishers REPLACES THE C99 & C99T 8 1/2" W x 20 1/2" H x 6" D
C-999	Accommodates 10 LB. Dry Chemical 10 9/16" W x 24 5/16" H x 6 9/16" D
C-104	Accommodates 20 LB. Dry Chemical or a 10 LB. CO ² and 2 1/2 gallon pressure water 14" W x 30" H x 9" D




PLASTIC FRONTS ARE SCORED FOR EASY BREAKAGE

- Complete with cylinder lock keyed alike • Baked white enamel finish •
- Acrylic plastic scored viewing panel • Break glass hammer and chain •
- Break glass sticker • Made of 22 Gauge Galvanized Steel •

PLASTIC FRONTS AND ACCESSORIES

PART #	DESCRIPTION
PF-104	Plastic Front for Classic 104 Cabinet 13 11/16" W x 27 7/8" H
PF-999	Plastic Front for Classic 999 Cabinet 10" W x 22" H
PF-99	Plastic Front for regular 99 Cabinet 7 3/4" W x 15" H
PF-100	Plastic Front for Classic C100 Cabinet 8.25" W x 18" H
PF99T	Plastic Front for 99 Tall 19 3/4" H x 8" W
BGH	Break Glass Hammer and Chain
BL-106	Break Glass Stickers - Bilingual
LFC104	Lock Front w/Cylinder Lock for C104
LFC999	Lock Front w/Cylinder Lock for C999
LFC99T	Lock Front w/Cylinder Lock for C99T
LFC99	Lock Front w/Cylinder Lock for C99
LFC100	Lock Front w/Cylinder Lock for C100



PART #	DESCRIPTION
CL	Replacement Universal Cam Lock w/Keys
CLKEY	Replacement Keys for Cam Lock Pkg of 2 NOT SHOWN

Our **FIRE SAFETY PLAN BOX** is made of 18 gauge Satin Coat Steel construction with stainless steel rivets and piano hinge, weather proof door seal, overhanging sill and UV resistant decal for maximum weather protection and durability.

PART #	DESCRIPTION	WxHxD
FSPB1	Fire Safety Plan Box	13 3/8" W x 13 3/8" H x 4 1/4" D
FSPB2	Fire Safety Plan Box	13 3/8" W x 13 3/8" H x 4 1/4" D For Region of Peel (Special Locks)
FSPPL	Replacement Brass Break-away Padlock	Available in Stainless Steel

INCLUDES:

- 2x Keyed alike breakaway padlocks (7/8") with keys
- 4x Screws and plugs (#8) for easy installation
- 6x Service Room Key Tags. (Sprinkler Room, Fire Safety Plan Box (2), Elevator, Electrical Room, Entry)



FSPB1

PLEASE NOTE: THE REGION OF PEEL REQUIRES KEYED LOCK FOR PEEL REGION. PART NO. FSPB2.

CABINETS



STEEL FIRE Fire Extinguisher Cabinets

Come complete with cylinder lock keyed alike, acrylic plastic viewing panel, break glass hammer and chain and break glass sticker. Baked white enamel finish. Available for 5, 10 and 20 lbs Fire Extinguishers.

FLUSH MOUNT



STEEL FIRE Semi-Recessed Extinguisher Cabinets

Have welded trim to allow for installation in a 4" wall and a full glass viewing panel. Available for both 5 and 10 lbs dry chemical extinguishers or 10 lb CO2 extinguishers.

EXIT SIGNS

STEEL FIRE Metal Exit Signs



Feature lamp sockets that are permanently mounted to the frame to eliminate need to remove and re-install wireway; Clear and easy access to wiring entry for wall, ceiling or end mount installation; Canopy mounting system designed to speed installation. Available in French, English and Bilingual.



EXIT SIGN WITH LIGHTS



STEEL FIRE Combination Exit/ Emergency Lighting Unit

Is self-powered, direct wire with battery back-up. This unit operates in excess of 30 minutes and is also universal for wall or ceiling installation. Available in French or English.



STEEL FIRE Hose Tray

Is designed to take up to 100' of 1-1/2" rack hose or 50' of 1-1/2" industrial hose. Well constructed of heavy duty steel. Ideal for use in an area where hose may need extra protection.

STE-HT

STEEL FIRE Hose Reels

Comes with a 14 gauge steel wall bracket that swings 180° (will accept 2" or 3" pipe clamp sold separately). Hose Reels have a red baked enamel finish and are shipped assembled. Available in 18" and 24" sizes. Holds up to 150' of rack hose.

RACK & REEL

STEEL FIRE Single Hose Valve

Made of cast brass for use with pin rack assembly.

VALVE

STEEL FIRE Chrome or Brass Sprinkler Heads

Are ULC and FM Approved. Available with 155°, 200° and 286° Pendant or Upright Bulb.

SPRINKLER HEADS

STEEL FIRE Wool Blanket and Vinyl Bag

The bag opens in one quick motion to gain access to the 62" x 80" wool blanket. Bag has 4 mounting holes with brass grommets.

WOOL BLANKET

STEEL FIRE Fiberglass Blanket and red slim cabinet

Made of 3 ply material – 2 layers of woven glass fibre, 1 layer of fire retardant film. Independently tested. For smothering and extinguishing fire in Hospitals, Schools, Homes and Kitchens. Blanket size: 72" x 48".

STE-FB64



ALLEGRO PAPR Wall Case

Is designed lightweight and features two windows allowing for quick identification of contents. Covered pass-through allows charging while storing and will keep dirt and moisture out. You can store one PAPR without disassembling breathing tube. Includes shelf and storage space for batteries, cartridges and filters.

Dual SCBA Wall Case

Is designed to meet storage demand for two SCBAs or one SCBA and a spare cylinder, or additional masks. Made of corrosion resistant ABS. Two low profile doors allow easy access and minimal clearance windows allow visibility to SCBA gauges. Canted back wall holds cylinder in place and Velcro straps allow for quick release. Custom molded shape fits various size cylinders. Internal hook holds SCBA masks and side walls are slotted. Comes with molded paddle lock receptical.

Deluxe and Standard Wall Cases

Protect respirators against damaging plant and window environments. They are made of corrosion resistant ABS with ultraviolet inhibitors. Nonmetallic hinges and latches prevent rust while a rubber door seal protects equipment from dust and moisture. The Deluxe Case comes with self and single SCBA cylinder bracket. The Standard Case offers the same large capacity without self or bracket.



HASTINGS BRASS Straight Siamese Wall Connections

Available in brass or aluminum. Size: 4" x 2-1/2" x 2-1/2"

HBF-HB212

SAFETY CABINETS

JUSTRITE Safety Cabinets



A fire can charge through a building in no time. Injuring people, destroying assets, threatening the very existence of your business.

What makes it all the more tragic is that simple proven steps can help reduce the risk of accidents.

Safety storage cabinets serve several critical functions:

- Safely contain hazardous chemicals to reduce the risk of fire, protecting both personnel and facilities
- Identify, organize, and segregate dangerous liquids
- Offer compliance with federal OSHA regulations and state and local fire codes
- Improve efficiency by allowing solvent to be stored near the points of use
- Improve security with keyed locking mechanism

A wide variety of code compliant cabinets are available in sizes ranging from 4-gallons (15 liters) to 120-gallons (454 liters). Smaller cabinets allow solvents to be stored at worksite locations saving costly trips to a central storage room. Undercounter, wall mount and piggyback style cabinets add to safe storage, even when space is at a premium. For high capacity storage, including storage of 55-gallon drums, larger sized cabinets designed specifically to house 30-gallon (114 liter) or 55-gallon (208 liter) drums are available. It's important to note that OSHA Code 29 CFR 1910.106 states that not more than 60-gallons may be Class I and II liquids. Custom sized cabinets are also available for unique requirements. Justrite also offers an extensive color selection including yellow, red, blue, green, white, gray and a variety of neutrals.

SAFETY CANS

JUSTRITE Safety Cans



Safety Cans are a necessary part of compliance for safety in the workplace. Justrite believes that they are much more. A Justrite Safety Can is a useful, hardworking tool that adds convenience while facilitating safe transfer of flammable liquids ensuring the safety of personnel and protection of the facilities where they are used.

Safety Cans serve several critical functions:

- Safely contain hazardous liquids and control vapors to reduce the risk of fire, protecting both personnel and facilities
- Offer compliance with federal OSHA regulations and state and local fire codes
- Improve efficiency with ease-of-use features to enhance pouring and filling operations

Virtually every place of business, and even homeowners, have occasion to use flammable or combustible liquids. Gasoline, chemicals, solvents, and a variety of other hazardous liquids are found in varying amounts and locations. Whereas these liquids are relatively commonplace, it is important to

understand the dangers they present and the special storage and handling procedures required to ensure safe usage. Reviewing the Material Safety Data Sheet (MSDS) helps determine liquid characteristics and recommended safety practices. Accidents and fire risks can be minimized by using proper safety equipment. NFPA is specific on what is required of a safety can in order for it to perform as expected under fire conditions. The basic purpose of a safety can is the control of flammable vapors, while providing a convenient means of carrying, dispensing, and storing up to five gallons of flammable liquid. All Justrite safety cans undergo rigorous testing requirements by independent third party agencies and have received certification from Factory Mutual (FM Approved) and Underwriters Laboratories (UL and ULC Listed). Justrite offers an exclusive Ten-Year Warranty on all safety cans. Let Justrite Safety Cans help you meet all your needs for flammable liquid dispensing and containment.

